

Public Records Request Center - General Records Request :: G017153-072226

1 message

King County Public Records Request Center <kingcountyexec@govqa.us>
To: "chris@crickertech.com" <chris@crickertech.com>

Fri, Jul 24, 2026 at 8:40 AM

--- Please respond above this line ---



July 24, 2026

Re: G017153-072226

Dear Chris Alef,

We received your public records request described below on July 22, 2026 and are responding to it on behalf of the King County Executive Branch per King County Code 2.12.005 and 2.12.230(B). Your request has been assigned tracking number G017153-072226. Your request is for the following:

"Under the Washington Public Records Act (RCW 42.56), I request copies of the following records held by the Department of Local Services, Permitting Division, concerning the Cascadia Ridge Resiliency Project (grading permit GRDE26-0036 and floodplain file FLOD26-0137; primary parcel 3624079039 and the associated project parcels):

1. All field-delineation records supporting the determination, stated in the applicant's floodplain submittal materials in or around the May 6, 2026 revision, that a National Hydrography Dataset (NHD) mapped stream segment on the south fork was "not found" during field delineation. This includes, without limitation, field notes, field datasheets, wetland and stream delineation datasheets, photo logs and field photographs, GPS tracks or coordinate logs, dated field-visit records, and any surveyor's or professional stamp associated with that field work.
2. The documents in which that determination is stated as filed in the record, including the SCJ Alliance technical memorandum, the Westwood Approximate Floodplain Study narrative, and the flood-study extent map submitted in or around the May 6, 2026 revision.
3. Any King County transmittal, review comment, or correspondence addressing the "not found" determination or requesting field-delineation backup for it, across any review discipline.

To the extent the underlying field work was performed by a consultant to the applicant (for example, Dudek, Westwood, SCJ Alliance, or Baird), this request seeks those records as they exist in the County's permit file. I am not asking the County to obtain records it does not hold; if the County holds only summary work products and no underlying field-delineation records for this determination, please confirm that in your response.

To avoid duplicate production: prior requests G016629-060826, G016676-061026, and G017125-072126 covered the GRDE26-0036 triage screening records and the July 2026 resubmittal. This request is limited to the field-delineation records underlying the south-fork "not found" determination and does not seek those already-produced materials.

Date range: January 1, 2024 through the date this request is processed.

Format: Electronic copies are preferred (PDF or native file format), delivered through the Public Records Request Center or by email.

If any responsive record is withheld or redacted in whole or in part, please provide a withholding log identifying each record withheld, the specific statutory exemption relied on, and a brief explanation of how the exemption applies, as required by RCW 42.56.210(3).

If you anticipate any charges for producing these records, please notify me with an estimate before incurring them so I can confirm or narrow the request."

The Department of Local Services - Permitting Division has conducted a search and found no records responsive to your request. Your

request is now closed because no responsive records exist. We do not intend to further address your request, therefore, the Public Records Act's one-year statute of limitations to seek judicial review of our response to your request has started to run.

Please feel free to contact me within 30 days if you have any questions about your request, or if you believe responsive records have not been provided.

Sincerely,
Greg Felton
Public Records Officer
Department of Local Services

To monitor the progress or update this request please log into the [Public Records Request Center](#).

